

**ARTICLE 10  
OFF-STREET PARKING AND LOADING**

**SECTION 1001      PURPOSE**


Off-street parking, loading and unloading facilities shall be provided to lessen traffic congestion in the streets. The facilities required by these provisions shall be available throughout the hours of operation for the particular business or use for which such facilities are provided. As uses herein, the term "parking space" includes covered garage or carport or uncovered parking lot space located off the public right-of-way.

**SECTION 1002      SIZE OF OFF-STREET PARKING SPACES**

Each off-street parking space shall have an area of not less than one hundred and sixty two (162) square feet, being nine (9) feet in width and eighteen (18) feet in length.

**SECTION 1003      DIMENSIONS AND DESIGN**

The dimension and design of off-street parking areas, including on-grade parking lots and parking garages, shall comply with the following standards:



**Parking Stall and Access Isle Geometry.**

**Parking Stall Dimensions**

Stall Angle (degrees)	S Stall Width (ft.)	C Stall Length (ft.)	D Stall Depth (ft.)	O Front Over-hang (ft.)	A* Aisle Width (ft.)	W Module Width (ft.)
90	9	9.5	18	3	24	60
60	9.5	11.0	20.5	2.6	16**	57**
45	9.5	13.4	19.5	2.1	14**	53**

The minimum width for aisles providing access to stalls with two-way traffic shall be twenty-four (24) feet.

**SECTION 1004      SIZE OF OFF-STREET LOADING SPACES**

Each off-street loading space shall be not less than fifty (50) feet in depth, twelve (12) feet in width and provide an overhead clearance of not less than fourteen (14) feet. All loading areas shall be designed, constructed and used so that all vehicular maneuvering is

contained within the lot and no vehicle shall be permitted to back into or out of the public right-of-way.

SECTION 1005      ACCESS TO OFF-STREET PARKING OR LOADING AREAS

There shall be adequate ingress or egress to all parking spaces. There shall be provided an access drive leading to off-street parking and/or loading areas. Such access drive shall not be less than ten (10) feet in width for residential uses and not less than twenty (20) feet, or greater than thirty (30) feet for any nonresidential use. Access drives to such off-street parking and/or loading areas shall be limited to well defined locations, not to exceed two (2) along each front, side or rear lot lines. For corner properties, all access drives shall be not less than thirty-five (35) feet from the intersection of streets, as measured along the right-of-way lines, unless a greater distance is required for a specific use as contained within Article 8, Supplemental Regulations.

SECTION 1006      LOCATION OF OFF-STREET PARKING AREAS

The required off-street parking spaces for any type of use shall be located on the same lot as the principal use to which it is accessory. The required off-street parking may be permitted on another lot subject to the following requirements:

- A.      The lot to be used for off-street parking and the lot on which the principal use is located shall be in the same zoning district.
- B.      The lot to be used for off-street parking and the lot on which the principal use is located shall be held under the same ownership.
- C.      The lot to be used for off-street parking shall be not less than four hundred (400) feet to any lot line on which the principal structure is located.

SECTION 1007      DRAINAGE AND SURFACING OF OFF-STREET PARKING AREAS

Any off-street parking area shall be graded for proper drainage and shall be surfaced so as to provide a pavement structure of bituminous asphalt, or concrete. Excluding points of ingress or regress the parking area shall be curbed. The design, location and material for any proposed catch basins may be referred to the Township Engineer for review and approval.

SECTION 1008      SCREENING AND LANDSCAPING

A.      SIDEYARDS AND REAR YARDS

The side and rear yards areas of properties that contain off-street parking for ten (10) or more vehicles and/or any off-street loading areas, shall be screened along such borders as provided herein:

- 1.      A planting strip not less than five (5) feet in depth, containing ornamental grass, shrubbery, plants and/or a similar vegetative cover that are a minimum of three (3) feet in height at the time of planting.

2. Such borders shall also be screened by a solid opaque fence, six (6) feet in height, or in lieu of a fence, an evergreen hedge not less than five (5) feet in height at the time of planting with a spacing distance of not greater than four (4) feet between each planting.

#### B. FRONT YARDS

The front yards areas of properties that contain off-street parking for ten (10) or more vehicles and/or any off-street loading areas, shall be screened along such borders as provided herein:

1. A planting strip not less than ten (10) feet in depth shall be provided between the parking areas and the abutting street right-of-way except for the location of access drives to the property. Said planting strip shall contain ornamental grass, shrubbery, plants or a similar vegetative cover.
2. Said planting strip shall also contain one (1) shade tree for each forty (40) linear feet of planting strip. Said trees shall be not less than eight (8) feet in height at the time of planting.

#### C. INTERIOR LANDSCAPING

Off-street parking areas that contain twenty (20) or more parking spaces, in addition to the compliance with regulations contained under items A and B of this Section, shall provide interior landscaping to said parking area. Said landscaping shall be not less than five (5%) percent of the total area that is paved and utilized for parking and or loading. Interior landscaped areas shall contain ornamental grass, shrubbery, plants or a similar vegetative cover and a minimum of one (1) shade tree not less than eight (8') feet in height at the time of planting.

#### SECTION 1009     LIGHTING

Any lighting used to illuminate off-street parking or loading areas shall be arranged to reflect the light away from adjoining properties and the public right-of-way. A

#### SECTION 1010     DRIVEWAYS

- A. Residential: All driveways shall have a minimum setback distance of ten (10) feet to any sideyard or rear yard property line. Townhouses, with exception of end units, shall be excluded from this provision.
- B. Nonresidential Uses: All driveways shall have a minimum setback distance of fifteen (15) feet to any sideyard or rear yard property line.

#### SECTION 1011     PARKING IN YARD AREAS

Required parking for residential properties shall be permitted within the required front, rear and/or side yard setbacks, provided that the minimum setback distance to any area used for

off-street parking is not less than ten (10) feet to the nearest point of a side yard or rear yard property line and not less than fifteen (15) feet from the front yard property line.

Any off-street parking areas for a nonresidential use, when abutting a residential zoning district or a residential property shall be setback a minimum of fifteen (15) feet from the rear yard and any side yard property line.

#### SECTION 1012      EXISTING STRUCTURES AND USES

Structures and uses in existence at the date of adoption of this Ordinance shall not be subject to the off-street parking or off-street loading requirements, so long as a structure or use is not changed, altered or expanded. Existing off-street parking or off-street loading facilities provided prior to the adoption of this Ordinance shall not be reduced below the minimum required in this Ordinance.

#### SECTION 1013      CHANGES OF STRUCTURES OR USES

Whenever the existing use of a building, structure or land is proposed to be changed to a new use, off-street parking and/or off-street loading facilities shall be provided as required for such new use. However, if said building or structure was erected or the use of the land established prior to the effective date of this Ordinance, additional off-street parking or off-street loading facilities shall be mandatory only in the amount by which the requirements for the new use would exceed those for the existing use.

#### SECTION 1014      FRACTIONAL SPACE

When required parking computation results in fractions, any fraction less than one-half ( $\frac{1}{2}$ ) shall be disregarded and any fraction equal to or greater than one-half ( $\frac{1}{2}$ ) shall be construed to require a full space.

#### SECTION 1015      MULTIPLE ACTIVITIES OR USES

In any instance where a nonresidential structure, building or use of land contains more than one (1) defined use, the required parking for each specific use shall be provided.

#### SECTION 1016      OFF-STREET PARKING REQUIREMENTS

Any structure, building or use of land hereafter erected, converted, enlarged or placed into use shall comply with the minimum off-street parking spaces as provided herein:

1.      Residential Structure: Two (2) spaces for each dwelling unit.
2.      Boarding House or Rooming House: Two (2) spaces for each guestroom.
3.      Personal Care Facility: Two (2) spaces for each person residing therein based upon the maximum number persons permitted under its State license.
4.      Churches and Similar Places of Worship: One (1) space for every four (4) seats in the main assembly room or one (1) space for each twelve (12) feet of bench length.

5. Places of Public or Private Assembly, including Auditoriums or Meeting Halls: One (1) space for every four (4) seats or one (1) space for each fifty (50) square feet of floor area when there is no fixed seating.
6. Schools, Elementary and Secondary: One (1) space for each staff member, plus one (1) space for every twenty (20) classroom seats.
7. Day Care Facility: One (1) space for each employee, plus one (1) space for every five (5) persons, based upon the maximum number of persons which the facility is licensed to serve.
8. Medical or Dental Offices or Clinics: Six (6) spaces for every doctor, dentist, chiropractor or other licensed medical practitioner, plus one for each staff member.
9. Methadone Treatment Facility: Twelve (12) spaces for every doctor, licensed medical practitioner, and/or counselor; employed at the facility, plus one (1) additional space for every one hundred (100) square feet of gross floor area.
10. Clubs/Lodges (Private) One (1) space for every one hundred (100) square feet of gross floor area.
11. Public Uses: One (1) space for every two hundred (200) square feet of gross floor area, excluding storage area for vehicles and/or equipment.
12. Public Utility Facilities: Two spaces per facility; if the facility includes maintenance and/or storage yards then the required number of spaces shall be one (1) space for each employee assigned to work at such facility.
13. Outdoor Recreational Facilities: In cases where such facilities include spectator seating, there shall be one (1) space for every four (4) seats; facilities which do not provide any spectator seating shall provide one (1) space for every two thousand (2,000) square feet in the recreational site, plus an additional ten (10) spaces, if there is a swimming pool and an additional two (2) spaces if there is playground equipment.
14. Retail Businesses: One (1) space for every two hundred (200) square feet of gross floor area.
15. Restaurants and Taverns: One (1) space for every two and one half (2<sup>1/2</sup>) seats, plus two (2) spaces for every three (3) employees based upon the maximum working shift.
16. Fast Food Restaurants: One (1) space for every eighty (80) square of service or dining area. A fast food restaurant with a drive-in window shall, in addition to the above requirements, provide stacking spaces for the drive-through window services in conformance with Section 802.29 of this Ordinance.

17. Personal Services: As defined in Article 2 of this Ordinance, such establishments shall provide one (1) space for every three hundred (300) square feet of gross floor area.
18. Animal Hospital: Five (5) spaces for every veterinarian.
19. Animal Kennel: One (1) space for each kennel and three (3) additional spaces for staff.
20. Group Residence: One (1) space for each two employees based upon the maximum working shift and one (1) space for each two residents who are eligible to operate a vehicle.
21. Offices: One (1) space for every two hundred (200) square feet of gross floor area.
22. Funeral Homes: Twenty (20) spaces for each viewing parlor.
23. Self-Storage Warehouse: One (1) space for every ten (10) stalls or lockers available for rental, plus one (1) for each employee on the maximum working shift.
24. Gasoline Service Stations: Two (2) exterior spaces for each service bay, one (1) space for each pump, plus one (1) space for every two hundred (200) square feet of gross floor area which is used for the sale of retail goods, including food and/or beverages.
25. Automotive and Boat Sales: One (1) exterior space for every six hundred (600) square feet of gross interior floor space plus one (1) additional space per each 5,000 square feet of open sales or display area.
26. Automotive Repairs: One (1) exterior space for every two hundred (200) square feet of gross interior floor area.
27. Equipment Sales and Repairs: One (1) exterior space for every two hundred (200) square feet of gross floor space.
28. Entertainment Facilities: Such facilities as defined in Article 2 of this Ordinance, shall require one (1) space for every two hundred (200) square feet of gross floor area.
29. Motels and Hotels: One (1) space for each unit for guest accommodations plus one (1) space for each two (2) employees on the maximum working shift. Any such facility which also serves food and/or beverages shall also comply with the parking requirements of a restaurant or tavern.
30. Hospitals/Nursing Homes: One (1) space for every three (3) beds, based upon the maximum number of beds permitted under its State license, plus one (1) space each employee on the maximum working shift.

31. Industrial, Manufacturing, Wholesale and Warehouse Establishments and/or Facilities: One (1) space for every five hundred (500) square feet of gross floor area; plus one (1) space for each employee on the maximum working shift; in any case, however, the total parking area shall be not less than twenty-five (25%) percent of the total gross square feet of the building.
32. Sexually Oriented Businesses
- a. Adult Bookstore: One (1) space for every one hundred (100) square feet of gross floor area, plus two additional (2) spaces for every three (3) employees based upon the maximum working shift.
- b. Adult Entertainment: One (1) space for every one hundred (100) square feet of gross floor area, plus:
- one (1) additional space for every two (2) seats and/or, one (1) space for each fifty (50) square feet of floor area when there is no fixed seating.
  - two (2) additional spaces for every three (3) employees based upon the maximum working shift.
- c. Massage Parlor: One (1) space for every one hundred (100) square feet of gross floor area, plus two (2) additional spaces for every three (3) employees based upon the maximum working shift.

#### SECTION 1017      PARKING FOR OTHER COMMERCIAL USES

Any commercial use or nonresidential use of a structure, building or land, not specifically listed within Section 1016 of this Ordinance shall provide one (1) off-street parking space for every two hundred (200) square feet of gross floor area or lot area.

#### SECTION 1018      OFF-STREET LOADING REQUIREMENTS

All commercial and industrial establishments shall provide off-street loading, unloading and commercial vehicle storage space adequate for their needs. In no case shall a public right-of-way be used for the loading, unloading or storage of such vehicles.

#### SECTION 1019      PROVISION OF HANDICAPPED PARKING SPACES

Any business, individual or corporation that owns, leases or operates a facility which includes the provision of public accommodations and/or commercial facilities shall be governed by the provision of this section. A commercial facility shall include any business whose operations are open to the general public. A facility which provides public accommodations shall include, but may not be limited to the following:

- places of lodging
- establishments serving food or drink
- places of exhibition or entertainment
- places of public gathering

- sales or rental establishments
- service establishments, stations used for specified public transportation.
- places of public display or collection
- places of recreation
- places of education
- social service center establishments, and places of exercise or recreation.

SECTION 1020      DESIGN FEATURES FOR HANDICAPPED PARKING SPACES

The following provisions shall apply for required handicapped parking spaces:

1. An area not less than five (5) feet in width shall be provided between each handicapped parking space. Said area shall be marked and/or designed to prevent parking therein.
2. An area not less than eight (8) feet in width shall be provided between each van accessible parking space. Said area shall be marked and/or designed to prevent parking therein.
3. Vehicular access to handicapped parking areas shall have a minimum vertical clearance of not less than nine and one half (9<sup>1</sup>/<sub>2</sub>) feet.
4. An off-street parking area shall be designed to provide convenient, accessible routes from the handicapped parking areas to an accessible building entrance and to public streets and sidewalks which adjoin the off-street parking area.

Handicapped accessible spaces, serving a particular facility, shall be located on the shortest accessible route of travel from the parking area to an accessible entrance.

SECTION 1021      SIGNAGE FOR HANDICAPPED PARKING

Handicapped accessible parking spaces shall be designated as reserved by a sign showing the symbol of accessibility. Parking spaces designed for vans shall have an additional sign reading "Van-Accessible" mounted below the accessibility sign. Such signs shall be located in a manner so a vehicle cannot obscure them.

SECTION 1022      MINIMUM NUMBER OF HANDICAPPED ACCESSIBLE SPACES

When parking spaces are provided for self-parking by employees or visitors, or both, within the total number of off-street parking spaces required under Section 1015 and/or Section 1016 of this Ordinance, the following table shall be used to determine the required number of handicapped accessible spaces.

<u>TOTAL NUMBER OF SPACES</u>	<u>REQUIRED NUMBER OF ACCESSIBLE SPACES</u>
1 TO 25	1
26 TO 50	2
51 TO 75	3
76 TO 100	4

TOTAL NUMBER OF SPACES

REQUIRED NUMBER OF ACCESSIBLE SPACES

101 TO 150

5

151 TO 200

6

201 TO 300

7

301 TO 400

8

401 TO 500

9

501 TO 1000

2 PERCENT OF TOTAL